


OssBuilder

- Superior user convenience with 3D Design which does not require trimming or bending
- No membrane exposure during Bone Healing
- Short healing period after membrane removal by minimized incision



Patient who has enough soft tissue

Patient who has little soft tissue

3D Design which does not require trimming or bending





- Superior user convenience with 3D Pre-Formed Design
- Line up applicable to various cases

No membrane exposure during Bone Healing

- Minimizing the possibility of membrane exposure by using cover cap (H: 0.3mm)
- Healing cap to treat Non-Submerged cases for patients with little soft tissue


Minimized incision of soft tissue for membrane removal

- Space maintenance without screws for fixation achieved with round design and superior rigidity
- Second surgery operated with minimum flap open




Anchor

- Tool for space maintenance and preventing bone graft from entering the interior of the fixture
- Compatible with fixtures of other various implant companies
- Ø3.5 Mini, Ø4.0 Regular contain each 4 types (H: 0, 0.5, 1.0, 1.5mm)




Healing/Cover Cap

- Cap for fixing OB and Anchor
- Healing cap to treat Non-Submerged cases for patients with little soft tissue
- Cover Cap to treat Submerged cases for patients with little soft tissue
- Features: Healing Cap (Ø4.0, 5.0mm, H: 3, 4mm) / Cover Cap (Single)




Tenting Screw Drill/Tenting Screw

- Substitute for fixture in case of difficult implant placement
- Use as substitute for fixture after drilling (Soft & Normal bone : 3mm, Hard bone : 5mm)
- Drill: Ø1.0, 1.5mm 1ea / Tenting Screw: L 8.5, 10, 11.5, 13mm




AutoBone Collector

- Tool for collecting Autobone
- Collecting bone is possible up to 4mm (vertical), 500 rpm is recommended
- 5.0, 6.0mm Default, 3.0, 4.0mm Option



Bone Ejector/Defect Gauge

- Tool for collecting Autobone and measuring the length of defect








Driver

- 0.9 Hex driver attachable with all components

OssBuilder Selection

OB2 Little horizontal, vertical augmentation






OB2 1 wall Damaged Buccal

OB2 2 wall Damaged Buccal+Proximal

OB2 3 wall Damaged Buccal+Proximal+Lingual

OB3, Large (more than 10mm) horizontal, vertical augmentation



Large defect (maximum 20mm, horizontal) coverable